

Government of Maharashtra

SEAC-2013/ CR-265/TC-2
Environment department
Room No. 217, 2nd floor,
Mantralaya Annex,
Mumbai- 400 032.
Dated: 12th May, 2015

To,
Mr. Gaurav Mohatta.
Madhu Kunj, Shankar Ghanekar Marg,
Prabhadevi Mumbai- 400025.

Subject: Environment clearance for proposed at plot no E-13,E-14 and E-15 located in MIDC Jalgaon by M/s. Benzo Chem Industries Pvt Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification, 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 94th meeting and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 82nd meeting.

2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) B1 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as:

Name of the Project	M/s Benzo Chem Industries Pvt. Limited
Project Proponent	Mr. Gaurav Mohatta.
Consultant	Sadekar Enviro Engineers Pvt. Ltd.
New Project / Expansion	Expansion in existing project
Activity schedule in the EIA Notification	Schedule 5 (f) ,Project Category –B1
Area Details	Total Plot Area: 12150 sq. m Built Up Area (Existing + Proposed): 2283 sq. m. Green Belt Area: 4045 sq. m Open Area: 5822 sq. m.
Name of the Notified Industrial area / MIDC	Jalgaon MIDC (Notified Industrial Area)
TOR given by SEAC	The application was submitted to SEAC-1 on 05-03-2013. On 20 th June of 2014 the 81 st SEAC meeting was conducted in which TOR was granted.

Estimated capital cost of the Project (including cost for land, building, plant and machinery separately)	Parameters	Existing	Proposed	Total	
	Land	0.3359 Cr	----	0.3359 Cr	
	Factory building	1.0409 Cr	-----	1.0409 Cr	
	Plant and Machinery	3.3509 Cr	-----	3.3509 Cr	
	Furniture & Fixtures	0.0793 Cr	-----	0.0793 Cr	
	Computers	0.1599 Cr	-----	0.1599 Cr	
	Office Equipment	0.1813 Cr	-----	0.1813 Cr	
	Vehicles	0.5762 Cr	-----	0.5762 Cr	
	Proposed Capital Cost of project	-----	2.00 Cr	2.00 Cr	
	Total	Rs: 5.7244 Cr	2.00 Cr.	7.7244 Cr.	
	<p>Note: The existing capital investment of the project is 5.7244 Cr and proposed project capital investment cost is 2 cr.</p> <p>Existing project cost + Proposed project cost= total project cost</p> <p>5.7244 Cr + 2.00 Cr = 7.7244 Cr</p>				
Location details of the project :	<input type="checkbox"/> Latitude:- 20° 58' 51" N <input type="checkbox"/> Longitude:- 75° 35' 08" E <input type="checkbox"/> Location: - Plot No.E-13, E14 & E15, MIDC Jalgaon <input type="checkbox"/> Elevation above Mean Sea Level (meters):- 213 m				
Production details	Name of products, by products and intermediate products	Production Existing (MT/year)	Proposed activity (new/modernization/expansion) MT/Year.	Total Production (T/year)	
	EXISTING		PROPOSED		TOTAL
	NAME	QTY MT/	NAME	QT Y	

	A		MT/ A	MT/ A
Para choro meta cresol (PCMC)	60	Para chloro meta cresol (PCMC)	60	120
Sodium salt of para chloro meta cresol	1.20	Na salt of para chloro meta cresol	1	2.20
4-Chloro thymol	1.20	4-Chloro thymol	1	2.20
1-Chloro naphthalene	6	1-Chloro naphthalene	2	8
2:4 Di chloro benzyl alcohol	1.20	2:4-Dichloro benzyl alcohol	16	17.2
1-Chloro methylnaphthalene	2.40	1-Chloro methylnaphthalene	150	152.4
Para chloro meta xylenol	1.20			1.20
Para chloro meta cresol/liquid/protector-1	1.20			1.20
Ortho chloro phenyl acetic acid	1.20			1.20
Dichloro meta xylenol (DCMX)	6			6
Benzyl Cyanide (BCN)	36			0*
Ortho Chloro Benzaldehyde (OCB)	24			0*
Ortho Chloro Benzoic Acid (OCBA)	3			0*
Ortho Chloro Benzo Tri Chloride (OCBTC)	3			0*
2:4 Di Chloro Benzyl Chloride (2:4 DCBC)	12			0*
2:4 Di Chloro Benzyl Cyanide (2:4 DCCN)	6			0*
2:4 Di Chloro Benzaldehyde	1.2			0*

Para Chloro Phenyl Acetic acid	1.2			0*
Benzaldehyde Ortho Sulphonic acid sodium salt	36			0*
Meta Chloro Benzyl Cyanide	6			0*
Meta Chloro Benzo Nitrile	1.2			0*
Ortho Chloro Benzyl Chloride	1.2			0*
Ortho Chloro Benzyl Nitrile	1.2			0*
Ortho Chloro Benzyl Cyanide	1.2			0*
2:4 Di Chloro Phenyl Acetic Acid	1.2			0*
Meta Chloro Benzyl Chloride (MCBC) 3- Chloro Benzyl Chloride	6			0*
Meta Chloro Benzaldehyde (MCB) or 3- Chloro Benzaldehyde	6			0*
Para Anisaldehyde or Para Methoxy Benzaldehyde or Para Anisic Aldehyde	6			0*
Para Chloro Benzo Nitrile	-			0*
Para Fluro Benzyl Chloride	-			0*
X Chloro Methyl	-			0*

Phenyl Acetic Acid				
3-ISO Chromanone	-			0*
		1-Napthaldehyde	4	4
		2-Amino-2-phenyl butyric acid	20	20
		5-Chloro-2- hydroxy benzophenone	4	4
		2-Dimethylamino-2- phenyl-1-butanol	6	6
		4-Methoxy phenyl acetone	100	100
		Alpha bromo-2-chloro phenyl acetic acid methyl ester	150	150
		2,4-Di chloro meta xylenol	10	10
		Meta hydroxy phenyl acetic acid	1	1
		2-Phenyl butyric acid	3	3
		N-Methyln-1- napthalenemethyl amine hydrochloride (N MAN: HCl)	10	10
		Ortho phthaladehyde(OPA)	2	2
		2-Chloro-4,6- dimethoxy-1,3,5- triazine	5	5
		1-Acetylnapthalene	10	10
		Para Hydroxy phenyl acetic acid	2	2

			4-Methyl benzyl chloride	5	5
	Bi-products		Bi-products		
	Hydrochloric acid (HCl)	40	Hydrochloric acid (HCl)	77	117
	Chlorinated cressol / Cresylic acid	0.04	Chlorinated cressol / Cresylic acid	12	12.04
			Sodium bisulfite (NaHSO ₃)	30	30
	TOTAL	299.2 MT/A	TOTAL	681 MT/A	802.64 MT/A
Note – "0*" indicates the production of these products has been stopped.					
By Products	Existing Bi-products	MT/A	Proposed Bi-products	MT/A	Total MT/A
	Hydrochloric acid (HCl)	40	Hydrochloric acid (HCl)	77	117
	Chlorinated cressol / Cresylic acid	0.04	Chlorinated cressol / Cresylic acid	12	12.04
			Sodium bisulfite (NaHSO ₃)	30	30
	Total	40.04		119	159.04
Rain Water Harvesting(RWH)	<input type="checkbox"/> Level of the Ground water table – 30-40 mtr. <input type="checkbox"/> Size and no of RWH tank(s) and Quantity 25 m ³				
Total Water Requirement	Total water requirement: 62 CMD <input type="checkbox"/> Source: Jalgaon MIDC. Quantity of water required for Existing unit: 22 CMD <input type="checkbox"/> Domestic : 2 CMD <input type="checkbox"/> Process : 2.5 CMD <input type="checkbox"/> Boiler : 9.5 CMD				

	<input type="checkbox"/> Industrial Cooling : 3 CMD <input type="checkbox"/> Garden : 5 CMD Quantity of water required for Proposed Activity: 40 CMD <input type="checkbox"/> Domestic : 3 CMD <input type="checkbox"/> Process : 4.5 CMD <input type="checkbox"/> Boiler :20 CMD <input type="checkbox"/> Industrial Cooling : 7.5 CMD <input type="checkbox"/> Garden : 5 CMD				
Storm water drainage	<input type="checkbox"/> Natural water drainage pattern :Yes <input type="checkbox"/> Size of SWD: 400 mm x 600 mm				
Sewage generation and treatment	<input type="checkbox"/> Amount of sewage generation – 04 CMD <input type="checkbox"/> Proposed treatment for the sewage: septic tank followed by ETP treatment.				
Effluent characteristic	Sr. no	Parameters (pH, BOD,COD, heavy metal. etc	Inlet effluent characteristic Mg/L	Outlet effluent characteristic Mg/L	Effluent As per for Inland use standard (CPCB)
	1	pH	6.08	7.0	5.5 to 9.0
	2	BOD	13784	63	100
	3	COD	28000	190	250
	4	TDS	64644	292	2100
	5	TSS	3868	56	100
	6	Oil and Grease	16	3.8	10
	7	Cyanide	<0.001	N.D	0.2
Note:- 1)All the parameters are express in mg/L except pH. 2) Trade effluent containing cyanide stream is separately treated with Sodium Hypochlorite or sodium bisulphate to precipitate as there respective salt and solid this remove The effluent free from cyanide is check and conformed and mix with remaining effluent and treated further.					
ETP details	<input type="checkbox"/> Total Quantity of effluent : 12.7 CMD <input type="checkbox"/> Existing effluent quantity : 3.5 CMD				

	<input type="checkbox"/> Proposed effluent quantity : 9.2 CMD <input checked="" type="checkbox"/> Capacity of the ETP (CMD): 15 CMD					
Note on ETP technology to be used	Oil and Grease trap, neutralization tank, stripper column, settling tank, Triple Effect Evaporator followed by oxidation tank and PSF and ACF for Zero discharge.					
Disposal of the ETP sludge (If applicable)	ETP sludge disposed by CHWTSDf at Ranjangaon, Pune.					
Solid waste Management	Sr. no	Source	Existing Qty(TPM)	Proposed Qty(TPM)	Form (sludge/Dry/slurry etc.)	
	1.	Empty Drums (Non Hazardous)	50 No./M	100 No./M	Dry	
	2.	Paper Bags (Non Hazardous)	-	100 No./M	Dry	
	If waste(s) contain any hazardous/toxic substance/radioactive materials or heavy metals then provide quantity, disposal data and proposed precautionary measures.					
	Hazardous Waste Generation:					
	Sr. no	Source	Existing Qty(TPM)	Proposed Qty(TPM)	Form (sludge/Dry/slurry etc.)	Compositi on
	1	Process Residue and waste	0.01 MT/M	0.40 MT/M = 0.41MT/M	Solid	Organic
	2	ETP Sludge	0.8 MT/M	1.2 MT/M = 2 MT/M	Sludge	Chemical mass
	3	Distillatio n residues	0.5 MT/M	1.0 MT/M = 1.5MT/M	Sludge	Organic Mass
	<ul style="list-style-type: none"> • What are the possibilities of recovery and recycling of wastes? : Nil • Possible users of solid waste: The non hazardous solid waste sold to 					

	authorize dealer or sent to recycler. • Method of disposal of solid waste: Hazardous waste sent to CHWTSDF at Ranjangaon Pune.				
Atmospheric Emissions (SPM, SO ₂ , NO _x , CO, etc.)	Sr. No	Pollutant	Source of emission	Total gas Quantity	Concentration in flue gas
	1	SPM	Boiler	8236 Nm ³ /h	124 mg/Nm ³
	2	SO ₂	Boiler	8236 Nm ³ /h	33 kg/d
	3	NO _x	Boiler	8236 Nm ³ /h	53 mg/Nm ³
	5	Chlorine	----	-----	----
	6.	Hydrochloric Acid	Scrubber	- mg/Nm ³	13.7
Stack emission Details:	Plant section & units	Stack no	Height from ground level (M)	Internal diameter (top)(m)	Temp. of exhaust
	Boiler (2 nos.)	1	30 M	0.8	130 °C
	Existing D.G. Set	1	3 M (Above the roof)	0.300 m	145-155 °C
	Scrubber	1	7 M	0.275 m	35-40 °C
Emission Standard	Pollutants (SPM,SO ₂ , ect	Emission standard limit (as per C.T.O)		Existing limit (mg/Nm ³)	
	SPM	150 mg/Nm ³		124	
	SO ₂	108 Kg/day		33	
Ambient Air Quality Data	Pollutant	Permissible standard		Proposed concentration (in µg/m ³)	
	PM 2.5	60 µg/m ³		28.40	
	PM 10	100 µg/m ³		70.20	
	SO ₂	80 µg/m ³		23.40	
	NO _x	80 µg/m ³		38.00	
				Remarks	
				As per NAAQM limit	

Details of Fuel to be used:	Sr. no	Fuel	Daily Consumption (TPD/KLD)		Calorific value (k cal / kg)	% ash	% Sulphur
			Existing	Proposed			
	1	Diesel	200 L/Day	200 L/Day	10,800 Kcal/Kg	0.02 %	0.05-0.25%
2.	Coal/Biomass	5 TPD	5 TPD	4487 Kcal/Kg	3.2 %	0.5%	
<input type="checkbox"/> Source of Coal /Diesel : local vendor <input type="checkbox"/> Mode of transportation of fuel to site: By Road							
Energy	Power supply: MSEDCL <input type="checkbox"/> Connected Load: 464 KVA Proponent has applied for extra power load of 189 KVA <input type="checkbox"/> Existing power demand: 400 KVA <input type="checkbox"/> Proposed power demand: 50 KVA Total (Existing + Proposed) demand will be around 450 KVA Existing DG sets <input type="checkbox"/> Number: 01 <input type="checkbox"/> capacity: 320 KVA Details of the non-conventional renewable energy proposed to be used : Nil						
Green Belt Development	<input type="checkbox"/> Green belt area (Sq. m.): 4045 Sq m						
Details of Pollution Control Systems	Sr. no		Existing pollution control system		Proposed to be installed		
	1	Air	Scrubbers, condenser and dust collectors		One HBR scrubber is proposed.		
	2	Water	ETP & MEE		Oxidation tank and PSF, ACF as tertiary treatment is proposed		
	3	Noise	Ear muffs and ear plugs		Acoustic Enclosure for DG sets.		

	4	Solid waste	Disposal to Authorized common facility	Existing Facilities will be used.
Environmental Management plan O&M cost (With break up) : Budgetary Allocation	<input type="checkbox"/> Total cost of the proposed project: 2 Cr. <input checked="" type="checkbox"/> Capital cost of pollution control (With break up) : 20,00,000/- <input type="checkbox"/> O&M cost of pollution control (With break up) : 4,00,000/-			
	Sr. no		Recurring Cost/A in Rs.	Capital Cost/A in Rs.
	1	Air Pollution Control	1,00,000/-	6,00,000/-
	2	Water Pollution Control	2,00,000/-	11,00,000/-
	3	Noise Pollution Control	30,000/-	1,00,000/-
	4	Environment monitoring and Management	30,000/-	1,00,000/-
	6	Occupational health	20,000/-	20,000/-
	7	Green Belt	10,000/-	50,000/-
	8	Solid waste management	10,000/-	30,000/-
		Total Cost	4,00,000/-	20,00,000/-
EIA	EIA submitted on 7/1/2015 to SEAC-I			

Storage of chemicals (inflammable /explosive/hazardous/toxic substances)

Sr. no	Name	Number of storage's	Capacity	Physical and Chemical composition	Consumption (in TPD)	Maximum Quantity of storage at any point of time	Source of supply	Means of transportation
1	Methanol	12 Barrels	200 lit	Liquid 99%	0.10	2 KL	Local Purchase	By Road
2	Hexane	9 Barrels	200 Lit	Liquid 99%	0.50	2 KL	Local Purchase	By Road
3	Toluene	1	15 KL	Liquid	0.20	15 KL	Local	By Road

		Under-ground Tank		99%			Purchase	
4	Sodium Cyanide	6 Drums	50 Kg	Solid 98%	0.10	3.0 MT	Local Purchase	By Road
5.	Sulphuric acid	1 Under-ground MS Tank	20 KL	Liquid	0.4	5 KL	Local Purchase	By Road
6.	Chlorine	Tonner	0.9 MT	Gas	0.2	2.7 MT	Local Purchase	By Road

3. The proposal has been considered by SEIAA in its 82nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

General Conditions for Pre- construction phase:-


- (i) This environment clearance is issued subject to providing 6m access road for proposed new boiler.
- (ii) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
- (iii) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- (iv) Regular monitoring of the air quality, including SPM & SO₂ levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
- (v) Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.
- (vi) Proper Housekeeping programmes shall be implemented.
- (vii) In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
- (viii) A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set.(If applicable)
- (ix) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
- (x) Arrangement shall be made that effluent and storm water does not get mixed.

- (xi) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
- (xii) Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
- (xiii) The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
- (xiv) Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xv) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
- (xvi) Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
- (xvii) The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- (xviii) The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
- (xix) The company shall undertake following Waste Minimization Measures :
 - Metering of quantities of active ingredients to minimize waste.
 - Reuse of by- products from the process as raw materials or as raw material substitutes in other process.
 - Maximizing Recoveries.
 - Use of automated material transfer system to minimize spillage.
- (xx) Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
- (xxi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xxii) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.
- (xxiii) Separate silos will be provided for collecting and storing bottom ash and fly ash.
- (xxiv) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
- (xxv) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>

- (xxvi) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (xxvii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xxviii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xxix) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xxx) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
 6. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years to start of production operations.
 7. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


13/05/15
(Sitaram Kunte)
Principal Secretary,
Environment department &
MS, SEIAA.

Copy to:

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
2. Shri T. C. Benjamin, IAS (Retired), Chairman, SEAC-I, 602, PECAN, Marigold, Behind Gold Adlabs, Kalyani Nagar, Pune – 411014. .
3. Additional Secretary, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Nashik.
7. Collector, Jalgaon
8. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
9. Select file (TC-3)

(EC uploaded on 13/05/2015)